



**AIRSTREAM<sup>®</sup>**

The Complete Towing Guide



# Travel Trailer Weights

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
<b>Classic 30RB</b>	10,000	2,100	7,900	850
<b>Classic 33FB</b>	10,000	1,625	8,375	1,000
<b>Pottery Barn Special Edition</b>	7,600	1,000	6,600	900
<b>Globetrotter® 25FB</b>	7,300	1,200	6,100	885
<b>Globetrotter® 27FB</b>	7,600	1,300	6,300	875

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>Globetrotter® 30RB</b>	8,800	1,810	6,990	975
<b>International Serenity 23FB</b>	6,000	1,000	5,500	500
<b>International Serenity 25FB</b>	7,300	1,700	5,600	875
<b>International Serenity 25RB</b>	7,300	1,600	5,700	850
<b>International Serenity 27FB</b>	7,600	1,500	6,100	850
<b>International Serenity 28RB</b>	7,600	1,500	6,100	875

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>International Serenity 30RB</b>	8,800	2,283	6,517	898
<b>Flying Cloud 23FB</b>	6,000	1,000	5,500	500
<b>Flying Cloud 25FB</b>	7,300	1,700	5,600	875
<b>Flying Cloud 25RB</b>	7,300	1,600	5,700	850
<b>Flying Cloud 27FB</b>	7,600	1,500	6,100	850
<b>Flying Cloud 28RB</b>	7,600	1,500	6,100	875

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>Flying Cloud 30FB Bunk</b>	8,800	2,128	6,672	875
<b>Flying Cloud 30FB Office</b>	8,800	1,996	6,804	814
<b>Flying Cloud 30RB</b>	8,800	2,283	6,517	899
<b>Caravel 16RB</b>	4,300	800	3,500	490
<b>Caravel 19CB</b>	5,000	1,000	4,000	550
<b>Caravel 20FB</b>	5,000	700	4,300	565

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>Caravel 22FB</b>	5,000	800	4,200	525
<b>Bambi 16RB</b>	3,500	500	3,000	430
<b>Bambi 19CB</b>	5,000	1,350	3,650	525
<b>Bambi 20FB</b>	5,000	1,000	4,000	540
<b>Bambi 22FB</b>	5,000	1,100	3,900	500
<b>Basecamp® 16</b>	3,500	850	2,650	410

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>Basecamp® 20</b>	4,300	900	3,400	500
<b>Basecamp® REI Edition</b>	3,500	800	2,700	450

## Touring Coach Weights

<b>Vehicle Type</b>	<b>Maximum Trailer Capacity (GVWR) (lbs.)</b>	<b>Net Carrying Capacity (lbs.)</b>	<b>Unit Base Weight (with LP and Batteries) (lbs.)</b>	<b>Hitch Weight (with LP and Batteries) (lbs.)</b>
<b>Atlas</b>	11,030 lbs/15,250 lbs	940	10,090 lbs	Up to 5,000 lbs
<b>Interstate 24X</b>	11,030 lbs/15,250 lbs	1,485 lbs	9,545 lbs	Up to 5,000 lbs
<b>Interstate 24GL</b>	11,030 lbs/15,250 lbs	1,689 lbs 2WD/ 1,289 4WD	9,341 lbs 2WD/ 9,741 4WD	Up to 5,000 lbs
<b>Interstate 24GT</b>	11,030 lbs/15,250 lbs	1,708 lbs 2WD/ 1,308 4WD	9,323 lbs 2WD/ 9,723 4WD	Up to 5,000 lbs
<b>Interstate 19</b>	9,050 lbs/ 13,930 lbs	1,663 lbs	7,385 lbs	Up to 5,000 lbs
<b>Rangeline</b>	9,350 lbs/ 12,000 lbs	1,689 lbs	7,661 lbs	Up to 3,500 lbs