



# **AIRSTREAM<sup>®</sup>**

## **The Complete Towing Guide**



# Travel Trailer Weights

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
Classic 30RB	10,000	2,275	7,725	830
Classic 33FB	10,000	1,575	8,425	1,150
Pottery Barn Special Edition	7,600	775	6,825	925
Globetrotter® 25FB	7,300	1,325	5,975	880
Globetrotter® 27FB	7,600	1,300	6,300	875

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
Globetrotter® 30RB	8,800	1,875	6,925	950
Trade Wind	7,300	1,100	6,200	725
International Serenity 23FB	6,000	900	5,100	500
International Serenity 25FB	7,300	1,600	5,700	860
International Serenity 27FB	7,600	1,600	6,000	850
International Serenity 28RB	7,600	1,700	5,900	860

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
International Serenity 30RB	8,800	2,200	6,600	900
Flying Cloud 23FB	6,000	1,000	5,000	500
Flying Cloud 25FB	7,300	1,650	5,650	860
Flying Cloud 27FB	7,600	1,650	5,950	850
Flying Cloud 28RB	7,600	1,700	5,900	860
Flying Cloud 30FB Bunk	8,800	2,100	6,700	900

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
Flying Cloud 30FB Office	8,800	2,100	6,700	900
Flying Cloud 30RB	8,800	2,200	6,600	900
Caravel 16RB	4,300	950	3,350	500
Caravel 19CB	5,000	1,150	3,850	550
Caravel 20FB	5,000	900	4,100	650
Caravel 22FB	5,000	950	4,050	525

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
Bambi 16RB	3,500	450	3,050	450
Bambi 19CB	5,000	1,350	3,650	525
Bambi 20FB	5,000	1,100	3,900	625
Bambi 22FB	5,000	1,150	3,850	525
Basecamp® 16	3,500	850	2,650	410
Basecamp® 20	4,300	900	3,400	500

Vehicle Type	Maximum Trailer Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Hitch Weight (with LP and Batteries) (lbs.)
Basecamp® REI Edition 16X	3,500	800	2,700	450
Basecamp® REI Edition 20X	4,300	800	3,500	535

# Touring Coach Weights

Vehicle Type	Maximum Touring Coach Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Towing Capacity (lbs.)
Atlas	12,125 lbs/15,250 lbs	1,996	10,129 lbs	Up to 4,000 lbs
Interstate 24X	11,030 lbs/15,250 lbs	1,485 lbs	9,945 lbs	Up to 5,000 lbs
Interstate 24GL	11,030 lbs/15,250 lbs	1,689 lbs 2WD/ 1,289 4WD	9,341 lbs 2WD/ 9,741 4WD	Up to 5,000 lbs
Interstate 24GT	11,030 lbs/15,250 lbs	1,708 lbs 2WD/ 1,308 4WD	9,323 lbs 2WD/ 9,723 4WD	Up to 5,000 lbs
Interstate 19	9,050 lbs/ 13,930 lbs	1,664 lbs 4WD/ 1,367 AWD	7,385 lbs 4WD/ 7,579 AWD	Up to 5,000 lbs
Interstate 19X	9,050 lbs/ 13,930 lbs	1,236 lbs	7,814 lbs	Up to 5,000 lbs



Vehicle Type	Maximum Touring Coach Capacity (GVWR) (lbs.)	Net Carrying Capacity (lbs.)	Unit Base Weight (with LP and Batteries) (lbs.)	Towing Capacity (lbs.)
Interstate 19SE	9,050 lbs/ 13,930 lbs	1,664 lbs	7,385 lbs	Up to 5,000 lbs
Rangeline	9,350 lbs/ 12,000 lbs	1,689 lbs (1,356 lbs. with Pop-Top)	7,661 lbs (7,994 lbs. with Pop-Top)	Up to 3,500 lbs