

AIRSTREAM FLOOR PLANS

THE 1971 AIRSTREAM FLEET
OFFERS YOU A WIDE SELECTION OF LAYOUTS
IN 13 EXCITING MODELS.

ANY ONE OF THEM WILL
MAKE YOUR TRAVEL DREAMS COME TRUE!


Every Airstream is built to the same precise construction standards regardless of model or series. All Airstreams have 12-volt electric brakes on every wheel. All are completely self-contained...they have equipment necessary for extended stays away from light, water and sewer connections. The difference in the various series is in the degree of self-containment, size and amount of accessory equipment and quality of interior furnishings.

The Land Yacht Series includes the 18-foot Caravel, 21-foot Globetrotter, 23-foot Safari and the 25-foot Trade Wind. It comes equipped with an automatic water system (including Univolt marine water pump and 50 gallon polyethylene water tank); Univolt electrical system to provide power at all times to all interior lights and fans (in addition to the 110-volt wiring for convenience outlets); 100-ampere 12-volt battery; a battery charger with protective voltage regulator; back-up lights; two 5-gallon gas bottles; a sealed unit space heater with circulating fan and heater ducts; combination electric/gas refrigerator; 6-gallon gas water heater; a modern fiberglass combination toilet-shower room;

marine type toilet; a bathroom exhaust fan; two 12-volt outlets; TV jack; and a polyethylene holding tank to provide toilet convenience away from sewer hook-up; and beautiful Nylon carpet in all areas.

The International Land Yacht Series is available in the 25-foot Caravanner, 27-foot Overlander, 29-foot Ambassador and 31-foot Sovereign of the Road. This series represents the ultimate in travel completeness and luxury. In addition to all of the basic equipment that is included in the Land Yacht Series, this series includes: Two 7-gallon gas bottles; an automatic switch-over valve; central control panel (includes battery condition meter, ammeter, water pump indicator, water level gauge, holding tank gauge, battery-operated clock, barometer and humidity-indicator); a large, adjustable no-draft translucent Astrodome vent; a Univolt ceiling exhaust fan; a Univolt range exhaust fan; two sink covers with cutting boards; deluxe plumbing hardware; water purifier; bedroom wall comfort cover; deluxe hub caps; and luxurious, long wearing Kodel carpet in all areas including the bathroom.

*27 ft. Overlander models are shown with an optional 7 cu. ft. gas-electric refrigerator.
31 ft. Sovereign Double Bed model is shown with optional "L" front twin lounges.*




18 FT. CARAVEL
(Land Yacht)
Hitch Wt. 360 lbs. • Total Wt. 3290 lbs.

21 FT. GLOBE TROTTER
(Land Yacht)
Hitch Wt. 420 lbs. • Total Wt. 3460 lbs.




23 FT. SAFARI TWIN
(Land Yacht)
Hitch Wt. 440 lbs. • Total Wt. 3530 lbs.




23 FT. SAFARI DOUBLE
(Land Yacht)
Hitch Wt. 445 lbs. • Total Wt. 3680 lbs.



25 FT. TRADE WIND TWIN
(Land Yacht)
Hitch Wt. 450 lbs. • Total Wt. 4140 lbs.



25 FT. TRADE WIND DOUBLE
(Land Yacht)
Hitch Wt. 455 lbs. • Total Wt. 4240 lbs.




25 FT. CARAVANNER
(International Land Yacht)
Hitch Wt. 450 lbs. • Total Wt. 4250 lbs.

27 FT. OVERLANDER TWIN
(International Land Yacht)
Hitch Wt. 430 lbs. • Total Wt. 4450 lbs.




27 FT. OVERLANDER DOUBLE
(International Land Yacht)
Hitch Wt. 435 lbs. • Total Wt. 4480 lbs.

29 FT. AMBASSADOR TWIN
(International Land Yacht)
Hitch Wt. 445 lbs. • Total Wt. 4650 lbs.



29 FT. AMBASSADOR DOUBLE
(International Land Yacht)
Hitch Wt. 450 lbs. • Total Wt. 4690 lbs.

31 FT. SOVEREIGN TWIN
(International Land Yacht)
Hitch Wt. 480 lbs. • Total Wt. 4840 lbs.



31 FT. SOVEREIGN DOUBLE
(International Land Yacht)
Hitch Wt. 490 lbs. • Total Wt. 4910 lbs.